


Swivel Eye Double Sheave Block/Pulley (Domestic)

CATALOG (SKU) NUMBER: BLOCK DBL EYE

- This is a block/ pulley that is a quickly detachable fixture with dynamic rotation of the block. It allows some flexibility, as it will rotate when the load is being lifted or moved, allowing the block/ pulley to swivel to keep the alignment of where it is attached. Can be used with wire rope, fibrous rope, or nylon rope.
- Zinc plated for corrosion resistance.
- Great for athletic equipment such as netting for batting cages or volleyball stands. As well as marine applications for boat lifts, personal watercraft, boat rigging, docks. And commercial use like garages, overhead door use, barns, flag poles, and safety screens.
- Other sizes and styles avaiable upon request.
- Made in the U.S.A.



150529_0100PacificIndustrial







Pulley swivel eye double



Product Specifications

SWIVEL EYE DOUBLE SHEAVE BLOCK/ PULLEY (DOMESTIC)														
PART NUMBER	SHEAVE SIZE (IN)	MAX WIRE ROPE SIZE (IN)	VORKING LOAD LIMIT (LBS)	WEIGHT EACH (LBS)	MENSIO (IN)								MAN	UFACTURER
					А	В	С	D	Е	F	G	Н	Ι	
BD-015482	1.5	3/16	525	0.65	1.0000	1.500	4375	.250	0.6250	3.1875	2.4375	1.6250	1.218	BLOCK
BD-020482	2	3/16	600	1.05	1.50002	2.000	.4375	1.250	0.6250	1.250	2.9375	2.062	1.218	BLOCK
BD-025482	2.5	1/4	685	1.55	2.00002	2.500	.4375	1.500	0.8756	5.000	3.4375	2.625(1.218	BLOCK DIVISION
BD-030482	3	1/4	800	2.15	2.5000	3.000	.4375	1.500	0.8756	5.625	4.062	8.1250	1.2188	BLOCK
BD-035482	3.5	5/16	1,550	4.95	3.0000	3.500	.6250	2.062	1.1875	7.6250	5.3750	3.7500	1.812 <u>9</u>	BLOCK VIVISION