PACIFIC
Industrial Supply

Endless Flat Web Slings

CATALOG (SKU) NUMBER: EN-

- Web slings are use for lifting highly-polished, fragile or delicate loads that have to be protected from damage. The softness of the web will not mar, deface or scratch the loads while the wide surface area ensures a firm secure grip around the load.
- Web slings offer excellent strength with minimal weight, making a versitile lifting sling when multiple loads are being lifted on a daily basis.
- Web sling protection pads and sleeves are available upon request.
- Our web slings are made in house with U.S.A. materials.
- Custom lengths, configurations, and edge guards available upon request.
- We can even custom tag your slings with your company came on them. No more losing slings on the jobsite!

PACIFIC Industrial Supply

Product Specifications

ENDLESS FLAT WEB SLINGS (DOMESTIC)					
PART NUMBER	WIDTH (IN)	PLY THICKNESS	WORKING LOAD LIMITS (LBS)		
			VERTICAL	CHOKER	BASKET
EN-1-901-	1	1	3,200	2,500	6,400
EN-1-902-	2	1	6,400	5,000	12,800
EN-1-903-	3	1	8,600	6,900	17,200
EN-1-904-	4	1	11,500	9,200	23,000
EN-1-906-	6	1	16,300	13,000	32,600
EN-2-901-	1	2	6,200	4,900	12,400
EN-2-902-	2	2	12,200	9,800	24,400
EN-2-903-	3	2	16,300	13,000	32,600
EN-2-904-	4	2	20,700	16,500	41,400
EN-2-906-	6	2	28,600	23,000	57,200
EN-3-901-	1	3	8,000	6,400	16,000
EN-3-902-	2	3	16,000	12,800	32,000
EN-3-903-	3	3	21,500	17,200	43,000
EN-3-904-	4	3	28,700	23,000	57,400
EN-3-906-	6	3	40,700	32,500	81,400
EN-4-901-	1	4	10,000	8,000	20,000
EN-4-902-	2	4	19,800	15,800	39,600
EN-4-903-	3	4	26,700	21,300	53,400

PACIFIC Industrial Supply

ENDLESS FLAT WEB SLINGS (DOMESTIC)					
EN-4-904-	4	4	35,600	28,400	71,200
EN-4-906-	6	4	50,500	40,400	101,000