Smooth Bore Machined Choker Ferrule

CATALOG (SKU) NUMBER: I704

- Choker ferrules and end fittings machined from tough steels, engineered specifically for swaging applications.
- Manufactured to exacting specifications and continuously monitored to ensure the highest quality.



150529_0421PacificIndustrial



150529_0422PacificIndustrial

PACIFIC Industrial Supply

Product Specifications

SMOOTH BORE MACHINED CHOKER FERRULE										
IMPORT PART NUMBER	DOMESTIC PART NUMBER	WIRE ROPE SIZE (IN)	DESCRIPTI	WEIGHT EACH (LBS)	DIMENSIONS (IN)				USE ESCO SWAGE DIE SIZE	USE WITH CHOKER BELL TYPE
					BEFORE SWAGE LENGTH	BEFORE SWAGE DIAMETER	AFTRE SWAGE LENGTH	AFTER SWAGE DIAMETER		
I70431	-	5/16	MM-5/16-P	0.33	1.3750	1.2500	1.6875	1.0800	MIDGET	MIDGET
I70433	4006106	3/8	MM-3-P	0.33	1.3750	1.2500	1.6875	1.0800	MIDGET	MIDGET
I70435	4006107	7/16	MM-7/16-P	0.33	1.3750	1.2500	1.6875	1.0800	MIDGET	MIDGET
I70437	4006108	1/2	MM-4-P	0.33	1.3750	1.2500	1.6875	1.0800	MIDGET	MIDGET
-	4089829	9/16	MM-9/16-P	0.33	1.3750	1.2500	1.6875	1.0800	MIDGET	MIDGET
I70476	-	5/8	MM-5-P	0.28	1.3750	1.2500	1.6875	1.0800	MIDGET	MIDGET
I70441	-	9/16	D-9/16-P	0.86	2.0000	1.5650	2.2605	1.4515	DWARF	DWARF
I70445	-	5/8	D-5-P	0.80	2.0000	1.5650	2.2605	1.4515	DWARF	DWARF

PACIFIC Industrial Supply

SMOOTH BORE MACHINED CHOKER FERRULE										
I70450	-	5/8	B-5-P	1.18	2.2610	1.7530	2.5200	1.6450	BANTAM	BANTAM
I70455	-	3/4	B-6-P	1.10	2.2610	1.7530	2.5200	1.6450	BANTAM	BANTAM
I70473	-	5/8	L-5-P	2.49	2.5800	2.2460	3.3975	2.0850	LIGHT	LIGHT/ LIGHT JUNIOR
I70474	-	3/4	L-6-P	2.37	2.5800	2.2460	3.3975	2.0850	LIGHT	LIGHT/ LIGHT JUNIOR
I70475	-	7/8	L-7-P	2.25	2.5800	2.2460	3.3975	2.0850	LIGHT	LIGHT/ LIGHT JUNIOR
I70480	-	1	L-8-P	2.13	2.5800	2.2460	3.3975	2.0850	LIGHT	LIGHT/ LIGHT JUNIOR
I70477	-	1	J-8-P	2.81	2.6670	2.4985	3.0045	2.2800	1-1/8IN OPEN CHANNEL	JUNIOR
I70478	-	1-1/8	J-9-P	2.72	2.6670	2.4985	3.0045	2.2800	1-1/8IN OPEN CHANNEL	JUNIOR