Stainless Steel 7X7, 7X19, and 1X19 Wire Rope (Imported)

CATALOG (SKU) NUMBER: 7X7SS/7X19SS/1X19SS

- All our stainless steel wire is imported from Korea, no Chinese wire!
- Manufactured to federal specification RR-W-410E.
- 1x19 construction is primarilly used for deck railing. It is very stiff and has a smooth, clean finish outside making it ideal for a great looking deck rail cable. There are 19 wires total making a very stiff wire.
- 7x7 construction is a medium flexible wire rope is ideal for rigging applications where some flexiblity is needed. It is a strong, medium flexible cable commonly used for lifelines and sailboat rigging applications. There are 7 strands and each strand contains 7 individual wires for medium flexibility.
- 7x19 construction has excellent flexibility commonly used with winch lines, garage door cable, exercise equipment, and sailboat rigging. The flexible construction includes 7 strands with 19 wires per strand.
- Type 316 is a higher grade of stianless steel for maximum corrosion resistance.
- Other sizes, grades, and constructions available upon request.
- Domestic and true AIRCRAFT GRADE (7X19) available upon request.
- Mill test certificates available upon request.
- Right hand regular lay with indepented wire rope center (IWRC).



150529_0282PacificIndustrial

PACIFIC Industrial Supply

Product Specifications

STAINLESS STEEL WIRE ROPE- 7X7- 7X19- 1X19- (IMPORTED)						
SIZE (IN)	PART NUMBER	CONSTRUCTI(	TYPE (GRADE OF STAINLESS)	WORKING LOAD LIMIT (LBS)	BREAKING STRENGTH (LBS)	APROXIMATE WEIGHT PER 100 FEET (LBS)
3/64	IA031	7X7	304	54	270	0.42
1/16	IA043	7X7	304	96	480	0.75
3/32	IA063	7X7	304	184	920	1.60
1/8	IA089	7X19	304	352	1,760	2.90
1/8	IA090	7X19	316	260	1,300	2.90
1/8	IA085	7X7	316	272	1,360	2.90
1/8	IA087	1X19	316	356	1,780	3.50
5/32	IA106	7X19	304	480	2,400	4.50
5/32	IA104	1X19	316	560	2,800	5.50
3/16	IA126	7X19	304	740	3,700	6.50
3/16	IA129	7X19	316	580	2,900	6.50
3/16	IA121	7X7	316	620	3,100	6.50
3/16	IA127	1X19	316	800	4,000	7.70
1/4	IA166	7X19	304	1,280	6,400	11.00
1/4	IA167	7X19	316	980	4,900	11.00
1/4	IA160	1X19	316	1,380	6,900	13.50

STAINLESS STEEL WIRE ROPE- 7X7- 7X19- 1X19- (IMPORTED)						
5/16	IA206	7X19	304	1,800	9,000	17.30
5/16	IA208	7X19	316	1,520	7,600	17.30
3/8	IA246	7X19	304	2,400	12,000	24.30
3/8	IA248	7X19	316	2,200	11,000	24.30
1/2	I0894-D	6X26	316	5,335	26,675	52.10