Stainless Steel Closed Swage Socket (Domestic)

CATALOG (SKU) NUMBER: SWAGE SOCKET SS CLSD

- Holerite cast stainless steel swage sockets provide the industry's widest variety of socket styles.
- Holerite swage sockets are available in conventional open and closed styles, and a bail style accommodates shackles or other rigging attachments.
- These swage sockets are made with ESCO 40SS Stainless Steel.
- ESCO 40SS stainless steel alloy that maintains toughness at temperatures as low as -60°F.
- A tapered shank that provides a gradual but firm swaged grip on rope strands dampening vibration and torsion stresses.
- Eliminates the heat and acid problems common with zinc sockets.



Forged Closed swage socket



Socket Swage Closed

PACIFIC Industrial Supply

Product Specifications

STAINLESS STEEL CLOSED SWAGE SOCKET (DOMESTIC)													
PART NUMBER	WIRE ROPE DIAMETER (IN)	WEIGHT EACH (LBS)	DIMENSIONS (IN)									SHANK DIAMETER (BEFORE SWAGE)	SHANK DIAMETER (AFTER SWAGE)
			A	B	C (LENGTH	D (PIN HOLE)	E (MINIMUM WIRE ROPE INSERTION LENGTH)	F	G	G	USE ESCO SWAGE DIE SIZE		
510278	5/16	1.00	1.687	0.687	4.6250	0.8750	2.0000	0.875	0.875	0.760	3/8IN OPEN CHANNEL		
513029	3/8	1.00	1.687	0.687	4.6250	0.8750	2.0000	0.875	0.875	0.760	3/8IN OPEN CHANNEL		
513029	7/16	1.50	2.000	0.812	5.8750	1.0625	3.0000	1.125	0.125	0.010	1/2IN OPEN CHANNEL		
513035	1/2	1.50	2.000	0.812	5.8750	1.0625	3.0000	1.125	0.125	0.010	1/2IN OPEN CHANNEL		
510280	9/16	2.50	2.500	0.125	7.2500	1.2500	3.6250	1.375	0.437	1.270	5/8IN OPEN CHANNEL		
510281	5/8	2.50	2.500	0.125	7.2500	1.2500	3.6250	1.375	0.437	1.270	5/8IN OPEN CHANNEL		
510282	3/4	3.00	3.000	0.312	8.3750	1.4375	4.1250	1.625	0.718	1.530	3/4IN OPEN CHANNEL		

STAINLESS STEEL CLOSED SWAGE SOCKET (DOMESTIC)											
510282(	7/8	6.00	3.500	.500	0.1250	1.6875	5.5000	1.875	.718	.530(	3/4IN OPEN CHANNEL
510283(	1	10.00	4.000	.750	1.5622	2.0625	6.5000	2.187	1.968	.760(	7/8IN OPEN CHANNEL
511207(	1-1/8	16.00	4.500	2.000	4.7500	2.3125	9.0000	2.437	2.250	2.040(	1IN OPEN CHANNEL