

## Swivel Eye Single Sheave Block/Pulley (Domestic)

## CATALOG (SKU) NUMBER: BLOCK SGL EYE

- This is a block/ pulley that is a quickly detachable fixture with dynamic rotation of the block. It allows some flexibility, as it will rotate when the load is being lifted or moved, allowing the block/ pulley to swivel to keep the alignment of where it is attached. Can be used with wire rope, fibrous rope, or nylon rope.
- Zinc plated for corrosion resistance.
- Great for athletic equipment such as netting for batting cages or volleyball stands. As well as marine applications for boat lifts, personal watercraft, boat rigging, docks. And commercial use like garages, overhead door use, barns, flag poles, and safety screens.
- Other sizes and styles avaiable upon request.
- Made in the U.S.A.



150529\_0070PacificIndustrial



pulley swivel eye single2





150529\_0100PacificIndustrial



pulley swivel eye single



## **Product Specifications**

SWIVEL EYE SINGLE SHEAVE BLOCK/ PULLEY (DOMESTIC)														
PART NUMBER	SHEAVE SIZE (IN)	MAX WIRE ROPE SIZE (IN)	NORKING LOAD LIMIT (LBS)	VEIGHT EACH (LBS)	/IENSIO (IN)								MAN	UFACTURER
					А	В	С	D	Е	F	G	Н	Ι	
BD-01548	1.5	3/16	525	0.5	1.0000	1.500	4375	.2500	0.6250	3.8125	2.4375	1.6250	n 625(	BLOCK DIVISION
BD-02048	2	3/16	600	0.7	1.50002	2.000	4375	.2500	0.6250	1.250	2.9375	2.1250	).625( [	BLOCK DIVISION
BD-02548	2.5	1/4	685	1	2.00002	2.500	4375	.500	0.8756	5.000	3.4375	2.6250	0.625(	BLOCK DIVISION
BD-03048	3	1/4	800	1.4	2.50003	3.000	4375	.500	0.8756	5.625	4.062	3.1250	0.625(	BLOCK DIVISION
BD-03548	3.5	5/16	1,550	3.1	3.0000	3.5000	.6250	2.062	1.8125	7.625	5.3750	3.7500	0.937 <u>;</u>	BLOCK DIVISION